



# Reyton Fully Synthetic SP III/IV

## Passenger Car Auto Transmission Fluid

Product Data Sheet



### PRODUCT DESCRIPTION

Reyton Fully Synthetic SP III/IV is a fully synthetic automatic transmission fluid designed and formulated to provide excellent lubrication and protection for automatic transmission under extreme condition. Reyton Fully Synthetic SP III/IV meets or exceeds the requirements of various manufacturers and industry standards which outperforms conventional oils.

### BENEFITS

- High performance
- Smooth and rapid gear shifting
- Prevents transmission vibration
- Provides excellent oxidation and thermal stability for longer transmission life
- Maximum wear protection on transmission
- Reduces friction and consumes less fuel

### FEATURES

Reyton Fully Synthetic SP III/IV is a fully synthetic, multigrade automatic transmission fluid with high protection for automatic transmissions. Specifically tailored viscosity characteristics and effective friction modifier.

### APPLICATIONS

- Used in automatic transmissions which require ATF SP III, ATF Dexron III, ATF Dexron IV or ATF SP IV

### MEETS OR EXCEEDS STANDARDS

- JASO 1-A

TESTS	RESULTS
SAE Grade	SP III / IV
Viscosity Index	187.7
Kinematic Viscosity	
@40°C, cSt (ASTM D445)	33.82
@100°C, cSt (ASTM D445)	7.2683
Flash Point, °C (ASTM D92)	200
Pour Point, °C (ASTM D97)	-45